

Automatic Small Compact Hot Melt Edgebander Model : ERGO-T306DB



Function:



TT-306DB: Gluing, end-cutting, fine trimming, buffing
TT-306D: Gluing, end-cutting, fine trimming


Technical Data:

Min. panel Length(mm)	120	In-put voltage(V)	380 Optional
Min. panel Width(mm)	80	In-put frequency(Hz)	50
Panel thickness(mm)	10-45	Total power(kw) D/DB	4/4.36
Edge width(mm)	12-48	Required air pressure(Mpa)	0.5
Edge thickness(mm)	0.4-3	Dimension(mm)by wooden	1820(2000)x780x1470
Feeding speed(m/min)	8	Weight 306D/306DB	535kg/565kg

Entry Unit

Easy Run Block: Protect the End-Cutting Unit

Entry Ruler: heavy and width, suit for different width&length Panel




Control panel:

Text interface that is simple to use. Each unit can be turned on or off from the controller.






Gluing and Tape Cutting Unit

- **Glue Tank very easy to change**
- Compact, automatic feeding tape
- Easy adjustment for different thickness of tape
- suit for MDF, wooden board and shaving board etc.
- Special spiral design for glue tank



End Trimming Unit

- high speed motor, 12000r/min
- **Special design for work, see the picture**
- Heavy duty base, Work stably
- imported quality electric components




• Edge Trimming Unit

- Two high speed motor, 12000r/min
- With handle display, easy adjust
- Special design for dust collector

Compact structure with big Circle wheel


Easy adjust by these handle wheel



Buffing Unit

Easy adjust structure

Compact



Brand electrical and pneumatic accessories

